

### **Product Information**

### 00 11 01

### **KNIPEX TwinKey**®

**Control Cabinet Key** 

For all standard cabinets and shut-off systems



- 10 profiles. 2 crosses. 1 key.
- For all common locking systems
- Multifunctional key for the actuation of locking systems from the areas of facilities engineering (heating and plumbing, air conditioning, electrical technology), gas and water supply, and shut-off-systems  $\frac{1}{2} \frac{1}{2} \frac$
- 8-arm version: two 4-way spider keys connected in a space-saving way using magnets
- For 6 different locking systems
- With reversible bit: 1.0 x 7 mm slot and PH2 cross slot With bit adapter for 1/4" bits with magnet
- Key and reversible bit joined by stable stainless steel wire
- Total length: 92 mm

	>	

General		
Article No.	00 11 01	
EAN	4003773074670	
Weight	135 g	
Dimensions	92 x 85 x 23 mm	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	

Technical details			
Capacity square	5.0 / 6.0 - 7.0 / 8.0 - 9.0 / 10.0 - 11.0 mm		
Capacity triangular	7.0 - 8.0 / 9.0 - 10.0 / 11.0 - 12.0 mm		
Step-wise square / driving square	6 — 10 mm		
half-moon	6 mm		
Bit	PH2 / slotted 1x7		

Technical changes and errors excepted

# **KNIPEX** Quality – Made in Germany















# **KNIPEX** Quality – Made in Germany















# **KNIPEX** Quality – Made in Germany





