

#### **Product Information**

### 00 11 06 V01

## **Universal Key "Construction"**

For all standard cabinets and shut-off systems



- Same model as universal key (00 11 06) with additional insertable, magnetically held attachment: for locks with PZ perforation and step square
- Compact key for locking systems in electrical engineering, the supply of gas and water, air conditioning and ventilation systems, industry, technical installations in buildings, etc.
- Support with cylinder perforation suitable for profile cylinders in doors
- For 7 different locking systems
- · With detachable chain and snap hook
- Total length: 96 mm
- Total length: 157 mm

| General                 |                       |
|-------------------------|-----------------------|
| Article No.             | 00 11 06 V01          |
| EAN                     | 4003773075394         |
| Weight                  | 255 g                 |
| Dimensions              | 96 x 96 x 20 mm       |
| REACH compliant         | does not contain SVHC |
| RoHS compliant          | not applicable        |
| Technical details       |                       |
| Capacity double-bit key | 3 - 5 mm              |

| reclinical details                             |                                       |
|--|---------------------------------------|
| Capacity double-bit key                        | 3 - 5 mm                              |
| Capacity square                                | 5.0 / 6.0 / 7.0 — 8.0 / 9.0 — 10.0 mm |
| Capacity triangular                            | 7.0 - 8.0 / 9.0 - 10.0 / 11.0 mm      |
| Step-wise square / driving square              | 6 / 7 / 8 / 9 mm                      |
| half-moon                                      | 6 mm                                  |
| catch for locks with cylinder lock perforation | PZ                                    |

Technical changes and errors excepted

## **KNIPEX** Quality – Made in Germany















# **KNIPEX** Quality – Made in Germany





