

Product Information

16 85 125 SB

Universal Stripping Tool



- For stripping all common round and damp-proof installation cables between \varnothing 8.0 - 13.0 mm (e.g. 3 x 1.5 mm² up to 5 x 2.5 mm²)
- Also for use in conduit and distribution boxes
- Double shell, folding back stripping tool
- With opening spring and locking device
- Practical clip for easy transport
- With additional blade for longitudinal cuts
- Telescopic blade inside
- Stripping device for cross-sections 0.2 / 0.3 / 0.8 / 1.5 / 2.5 / 4 mm²
- With integrated cable guide for longitudinal cut. This enables rigid insulation (e.g. halogen-free) to be stripped more easily

MM

| General | |
|--|---|
| Article No. | 16 85 125 SB |
| EAN | 4003773060444 |
| Weight | 79 g |
| Dimensions | 125 x 86 x 36 mm |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |
| Technical details | |
| Stripping capacity for single strands | 0.2 mm ² / 0.3 mm ² / 0.8 mm ² / 1.5 mm ² / 2.5 mm ² / 4.0 mm ² |
| Stripping capacities in square millimetres | 0.2 – 4 mm ² |
| Cable type | round cable, e.g.: 3 x 1,5 mm ² up to 5 x 2,5 mm ² |

Technical changes and errors excepted



