

### **Product Information**

## 70 06 160 T

## **Diagonal Cutter**



- Narrow head style for use in confined areas
- The indispensable diagonal cutter for all-round use High-quality material and precise workmanship for long service life
- Precision cutting edges for soft and hard wire
- Clean cutting of thin copper wires, also at the cutting edge tips
- Cutting edges additionally induction-hardened, cutting edge hardness approx.
- With elongated cutting edge
- Pliers with integrated, insulated tether attachment point for a tool tether





General		
Article No.	70 06 160 T	
EAN	4003773081463	
pliers	chrome-plated	
head	chrome-plated	
handles	insulated with multi-component grips, VDE-tested with integrated insulated techer a	attac
Weight	230 g	
Dimensions	160 x 54 x 28 mm	
Standard	DIN ISO 5749 DIN EN 60900 IEC 60900	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacities medium hard wire (diameter)	Ø 3.0 mm	
Cutting capacities hard wire (diameter)	Ø 2.0 mm	
Drop Protection System	yes	
VDE tested	yes	

Technical changes and errors excepted


# **KNIPEX** Quality – Made in Germany















# **KNIPEX** Quality – Made in Germany











