

Product Information

71 72 610

Bolt Cutter



- Cutting capacity up to 48 HRC hardness
- Robust cutting edges are additionally induction-hardened, cutting edge hardness approx. 62 HRC
- · Forged-in stopper with comfortable shock- absorber
- Good access due to very flat construction of head and joint area
- Ergonomically angled handles to minimise effort
- Sturdy non-slip two-colour multi-component handle sleeves
- Precise adjustment (12 positions) by eccentric bolt
- High cutting performance with minimum effort due to optimum coordination
 of the cutting edge angle and transmission ratio
- Bolted cutter head, replaceable



| General | |
|------------------------|-----------------------------|
| Article No. | 71 72 610 |
| EAN | 4003773066767 |
| head | grey atramentized |
| handles | with multicomponent handles |
| Weight | 2,550 g |
| Dimensions | 610 x 122 x 34 mm |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |
| Technical details | |
| HRC 19 | Ø 9 mm |
| HRC 40 | Ø 8 mm |
| HRC 48 | Ø 7 mm |
| Cutting edge length mm | 34 mm |
| Head thickness | 33 mm |

Technical changes and errors excepted

KNIPEX Quality – Made in Germany















KNIPEX Quality – Made in Germany



