

Product Information

97 52 63 DG

Four-Mandrel Crimping Pliers for turned contacts



- For crimping turned contacts
- Four-mandrel crimping for top-quality crimp connections
- Mandrel gauge to check the basic setting
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Optimum transmission of force due to highly effective lever action for fatigue-reduced operation
- High operation comfort thanks to handy shape
- Crimping capacity can be adjusted in increments of 0.01 mm
- With digital display of the preset crimping capacities and possibility of recalibration via RESET function with electronic wear monitoring
- Adjustment in mm, inches or comparable selection positions according to MIL
- Pliers in a plastic case with foam insert and standard locator for precise positioning of the contacts

MM ✖

General	
Article No.	97 52 63 DG
EAN	4003773063209
pliers	chrome-plated
head	chrome-plated
handles	with multicomponent handles
Weight	388 g
Dimensions	195 x 82 x 19 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable
Technical details	
Application	for turned contacts from Phoenix Contact (formerly Coninvers)
Capacity in square millimetres	0.08 – 2.5 mm ²
AWG	28 – 14
Number of crimp profiles	1
Max. contact diameter	5 mm

Technical changes and errors excepted



